Form 3160-3 (August 1999)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

5. Lease Serial No.

		UTU-0558
APPLICATION FOR PERMIT 1	O DRILL OR REENTER	6. If Indian, Allottee or Tribe Name N/A
la. Type of Work:   DRILL REENTER	CONFIDENTIAL	7. If Unit or CA Agreement, Name and No. RED WASH UNIT
1b. Type of Well: ☑ Oil Well ☐ Gas Well ☐ Oth	er Single Zone 🔲 Multiple Zone	8. Lease Name and Well No. RW 32G-27A
	JOHN BUSCH E-Mail: john.busch@questar.com	9. API Well No. 43-047-356-70
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.4341 Fx: 435.781.4323	10. Field and Pool, or Exploratory RED WASH
4. Location of Well (Report location clearly and in accordant At surface SWNE 1980FNL 1980FEL 634237 X At proposed prod. zone 4449212 Y	nce with any State requirements.*) 40.18430 N Lat, 109.42375 W Lon 40, 18446 109.42322	11. Sec., T., R., M., or Bik. and Survey or Area Sec 27 T7S R22E Mer SLB SME: BLM
<ol> <li>Distance in miles and direction from nearest town or post of 5 + / - MILES WEST OF REDWASH, UTAH</li> </ol>	office*	12. County or Parish 13. State UT NTAH UT
<ol> <li>Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)</li> <li>1980' + / -</li> </ol>	16. No. of Acres in Lease 2560.00	17. Spacing Unit dedicated to this well 40.00
<ol> <li>Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft.</li> <li>2000' + / -</li> </ol>	19. Proposed Depth 6150 MD	20. BLM/BIA Bond No. on file ESB000024
21. Elevations (Show whether DF, KB, RT, GL, etc. 5427 GL	22. Approximate date work will start	23. Estimated duration 10 DAYS
	24. Attachments	
The following, completed in accordance with the requirements o	f Onshore Oil and Gas Order No. 1, shall be attached to	o this form:

- 1. Well plat certified by a registered surveyor.
- A Drilling Plan.
   A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
  5. Operator certification
  6. Such other site specific information and/or plans as may be required by the support of the second of t

25. Signature	Name (Printed/Typed) JOHN BUSCH	Date 04/21/2004
Title OPERATIONS A	of this	
Approved by Signature	Federal Approved (Printed/Typed)  Office BRADLEY G. HILL	Date 05-03-04
Title	Office ENVIRONMENTAL SCIENTIST III	. `

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Electronic Submission #29858 verified by the BLM Well Information System For QEP UINTA BASIN, INC., will be sent to the Vernal

RECEIVED

APR 2 3 2004

DIV. OF OIL, GAS & MINING

CONFIDENTIAL

## T7S, R22E, S.L.B.&M.

#### QUESTAR EXPLORATION & PRODUCTION


Well location, RW #32-27A, located as shown in the SW 1/4 NE 1/4 of Section 27, T7S, 1941 Brass Cap. R22E, S.L.B.&M. Uintah County, Utah.

0.7' High, Pile



#### BASIS OF ELEVATION

BENCH MARK (20EAM) LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET.



#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF


REVISED: 3-18-04 C.G. REVISED: 10-17-01 C.G.

REGISTERED LAND SURVEYOR REGISTRATION NO. 161319' STATE OF UNANTE OF

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078

(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 10-5-01	DATE DRAWN: 10-6-01
PARTY K.K. J.T. C.G.	REFERENCES G.L.O. PL/	AT
WEATHER WARM	FILE QUESTAR	EXPLORATION



#### LEGEND:

= 90° SYMBOL

PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.

(NAD 83)

LATITUDE =  $40^{\circ}11'03.48"$  (40.184300)

LONGITUDE =  $109^{\circ}25'25.49''$  (109 423747)

#### **Additional Operator Remarks**

QEP, Uinta Basin Inc. proposes to drill a well to 6150' to test the Green River. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and State of Utah requirements

Please see QEP, Uinta Basin, Inc. Standard Operating Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 and 24 East.

See Onshore Order No. 1 attached

Please be advised that QEP, Uinta Basin, Inc. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

Bond coverage for this well is provided by Bond No. ESB000024. The principal is QEP,Uinta Basin, Inc. via surety as consent as provided for the 43 CFR 3104.2.

QEP Uinta Basin, Inc. RW 32G-27A

#### ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

#### 1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	Depth
Uinta	Surface
Green River	3230'
TD	6150'

#### 2. Anticipated Depths of Oil, Gas, Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Oil/Gas	Green River	6150

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

#### 3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 2667.0 psi.

#### **GEP UINTA BASIN INC.** RW 32G-27A 1980' FNL 1980' FEL SWNE. SECTION 27, T7S, R22E **UINTAH COUNTY, UTAH LEASE # UTU-0558**

#### ONSHORE ORDER NO. 1

#### MULTI - POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the RW 32G-27A on April 15,2004, with weather conditions cool and cloudy at the time of the onsite. In attendance at the inspection were the following individuals.

Paul Buehler

**Bureau of Land Management** 

Dixie Sadleir

**Bureau of Land Management** 

Jan Nelson

QEP Uinta Basin, Inc.

#### **Existing Roads:**

The proposed well site is approximately 5 miles West of Redwash, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 - mile radius.

There will be no improvements made to existing access roads.

#### 2. Planned Access Roads:

Please see QEP Uinta Basin Inc. Standard Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map B for the location of the proposed access road.

#### 3. Location of Existing Wells Within a 1 - Mile Radius:

Please refer to Topo Map C.

#### Location of Existing & Proposed Facilities:

Please see QEP Uinta Basin, Inc. Standard Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

Refer to Topo Map D for the location of the proposed pipeline.

#### 5. Location and Type of Water Supply:

Please see QEP Uinta Basin, Inc. Standard Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

#### 6. Source of Construction Materials:

Please see QEP Uinta Basin, Inc. Standard Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

#### 7. Methods of Handling Waste Materials:

Please see QEP Uinta Basin, Inc. Standard Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

#### 8. Ancillary Facilities:

Please see QEP Uinta Basin, Inc. Standard Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Townships 07 and 08 South, Ranges 21 to 24 East.

#### 9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

#### 10. Plans for Reclamation of the Surface:

Please see QEP Uinta Basin, Inc. Standard Operating Practices for Green River Formation Wells located in Red Wash, Wonsits Valley, Gypsum Hills, White River, Glen Bench, and undesignated fields in Township 07 and 08 South, Ranges 21 to 24 East.

Seed mix #1

Fourwing Saltbush 3lbs/acre
Indian Rice Grass 3lbs/acre
Needle & Threadgrass 3lbs/acre
Crested Wheatgrass 1lb/acre

#### 11. Surface Ownership:

The well pad and access road are located on lands owned by:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435) 781-4400

#### 12. Other Information

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

There is a Burrowing Owl Stipulation from April 1st to August 15th. No construction or drilling will commence during this period unless otherwise determined by a wildlife biologist that the site is inactive.

QEP will construct powerlines in accordance with the standards outlined in <u>Suggested Practices for</u> Raptor Protection on <u>Powerlines</u>, (Raptor Research Foundation, Inc. 1981).

#### Lessee's or Operator's Representative:

John Busch
Red Wash Operations Rep.
QEP Uinta Basin, Inc.
11002 East 17500 South
Vernal, Utah 84078
(435) 781-4341

#### Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

QEP Uinta Basin, Inc. will be fully responsible for the actions of their subcontractors.

A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by QEP Uinta Basin, Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

John Burd	April 21, 2004
John Busch	Date

Red Wash Operations Representative

# QUESTAR EXPLR. & PROD.

RW #32-27A

LOCATED IN UINTAH COUNTY, UTAH SECTION 27, T7S, R22E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHERLY






PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS


CAMERA ANGLE: EASTERLY





LOCATION		1 (	08 H DAY	O1 YEAR	рното
TAKEN BY: D.K.	DRAWN BY: K.	G. R	EV: 03-11	04 P.M.	















#### APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 04/23/2004	API NO. ASSIGNE	ED: 43-047-3567	0
WELL NAME: RW 32G-27A  OPERATOR: QEP UINTA BASIN, INC. ( N2460 )  CONTACT: JOHN BUSCH	PHONE NUMBER: 43	35-781-4341	
PROPOSED LOCATION: SWNE 27 070S 220E	INSPECT LOCATN	BY: / /	
SURFACE: 1980 FNL 1980 FEL BOTTOM: 1980 FNL 1980 FEL	Tech Review	Initials	Date
UINTAH RED WASH ( 665 )	Engineering Geology		
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-0558	Surface		
SURFACE OWNER: 1 - Federal PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO	LATITUDE: 40.18 LONGITUDE: 109.4		
Plat  Bond: Fed[1] Ind[] Sta[] Fee[]  (No. ESB000024  Potash (Y/N)  Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit  (No. 43-8496  N RDCC Review (Y/N)  (Date:)  NA Fee Surf Agreement (Y/N)	R649-3-3. EDrilling Uni Board Cause Eff Date: Siting;	General  rom Qtr/Qtr & 920'  Exception  t	07 01 05
COMMENTS: <sap, file<="" seperate="" td=""><td>•</td><td></td><td></td></sap,>	•		
STIPULATIONS: 1- S. denie appro	rg()		



002

## **United States Department of the Interior**

#### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

April 28, 2004

Memorandum

To:

Assistant District Manager Minerals, Vernal District

From:

Michael Coulthard, Petroleum Engineer

Subject:

2004 Plan of Development Red Wash Unit,

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2004 within the Red Wash Unit, Uintah County, Utah.

API#

WELL NAME

LOCATION

(Proposed PZ Green River)

43-047-35668 RW 34G-23A Sec 23 T07S R22E 0660 FSL 1980 FEL 43-047-35669 RW 34G-27A Sec 27 T07S R22E 0806 FSL 2137 FEL 43-047-35670 RW 32G-27A Sec 27 T07S R22E 1980 FNL 1980 FEL

(Proposed PZ Mesaverde)

43-047-35671 RW 14G-34A Sec 34 T07S R22E 0714 FSL 0524 FWL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Red Wash Unit

Division of Oil Gas and Mining

Agr. Sec. Chron Fluid Chron

MCoulthard:mc:4-28-04



State of Utah

Department of Natural Resources

Division of Oil, Gas & Mining

ROBERT L. MORGAN Executive Director

LOWELL P. BRAXTON Division Director May 3, 2004

QEP Uinta Basin, Inc. 11002 E 17500 S Vernal, UT 84078

Re:

Red Wash 32G-27A Well, 1980' FNL, 1980' FEL, SW NE, Sec. 27,

T. 7 South, R. 22 East, Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35670.

Sincerely,

John R. Baza
Associate Director

IlZhunt

pab Enclosures

cc:

**Uintah County Assessor** 

Bureau of Land Management, Vernal District Office

Operator:	QEP Ui	nta Basin, Inc.	
Well Name & Number	Red Wa	sh 32G-27A	
API Number:	43-047-	35670	
Lease:	UTU-0:	558	
Location: <u>SW NE</u>	Sec. 27	<b>T.</b> 7 South	R. 22 East

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

	OF LAND MANAGE		5. Lease Serial No. UTU-0558	
0 7 APPLICATION FOR	R PERMIT TO DRIL	L OR REENTER	6. If Indian, Allottee or Tri	be Name
Ta. Type of Work: 🗖 DRILL 🔲 REED	NTER	And the second s	7. If Unit or CA Agreemer RED WASH UNIT	
lb. Type of Well:	Well	Single Zone ☐ Multiple 2	8. Lease Name and Well N RW 32G-27A	lo.
2. Name of Operator QEP UINTA BASIN, INC.	Contact: JOHN BU	_	9. API Well No.	35670
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	Ph: 435	e No. (include area code) 5.781.4341 5.781.4323	10. Field and Pool, or Exp RED WASH	loratory
Location of Well (Report location clearly     At surface SWNE 1980F)     At proposed prod. zone		y State requirements.*)	11. Sec., T., R., M., or BII Sec 27 T7S R22E	
14. Distance in miles and direction from neare 5 + / - MILES WEST OF REDWAS!	st town or post office* H, UTAH	APR 2 1 2004 (1)	12. County or Parish UI NTAH	13. State
15. Distance from proposed location to nearest lease line, ft. (Also to nearest drig. unit lin 1980' + / -	t property or 16. No. of 16. log	of Acres in Lease	17. Spacing Unit dedicate 40.00	
<ol> <li>Distance from proposed location to neares completed, applied for, on this lease, ft.</li> <li>2000' + / -</li> </ol>	t well, drilling, 19. Propo	osed Depth MD	20. BLM/BIA Bond No. o ESB000024	n file
21. Elevations (Show whether DF, KB, RT, G. 5427 GL	L, etc. 22. Appr	oximate date work will start	23. Estimated duration 10 DAYS	
		24. Attachments		
<ol> <li>The following, completed in accordance with the</li> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on Nati SUPO shall be filed with the appropriate Formula (in the propriate F</li></ol>	onal Forest System Lands, t	4. Bond to cover the of Item 20 above).	perations unless covered by an exis	
25. Signature (Electronic Submission)		inted/Typed) N BUSCH		Date 04/21/2004
Title OPERATIONS	7			
Title Assistant Field Manager	Name (Pr	inted/Typed)		26/2014
Mineral Resources  Application approval does not warrant or certify operations thereon.  Conditions of approval, if any, are attached.				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C States any false, fictitious or fraudulent statemer	. Section 1212, make it a crafts or representations as to a	rime for any person knowingly and wi	lifully to make to any department or	RCC III
Additional Operator Remarks (see no				SEP 0 / 2004
Electro	For QEP UIN	358 verified by the BLM Well TA BASIN, INC., sent to the V	rernai Div.	OF OIL, GAS & MINI

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED

\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

OPERATOR-SUBMITTED \*\*

OPERATOR-SUBMITTED \*\*

OPERATOR-SUBMITTED \*\*

COAs Page 1 of 3 Well No.: RW 32G-27A

# CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator:

Shenandoah Energy Inc.

Well Name & Number: RW 32G-27A

API Number:

43-047-35670

Lease Number:

U-0558

Location:

SWNE Sec. 27 T.7S R. 22E

Agreement:

Red Wash GR

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

#### CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

#### Casing Program and Auxiliary Equipment

As a minimum requirement, the cement behind the production casing must extend 200' above the surface casing shoe.

#### Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

COAs Page 2 of 3 Well No.: RW 32G-27A

#### Other Information

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman

(435) 828-7874

Petroleum Engineer

Kirk Fleetwood

(435) 828-7875

Petroleum Engineer

BLM FAX Machine (435) 781-4410

COAs Page 3 of 3 Well No.: RW 32G-27A

#### **CONDITIONS OF APPROVAL** FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator:

QEP, Uinta Basin, Inc

API Number:

43-047-35670

Well Name & Number: 32G-27A

Lease number:

<u>U-0558</u>

Location:

<u>SWNE</u> Sec, <u>27</u>, T.<u>7S.</u> R. <u>22E.</u>

Surface Ownership:

**BLM** 

Date NOS Received: 4/15/04

Date APD Received: 4/21/04

Conditions for Approval are in the APD

#### WEEKLY OPERATIONS REPORT – SEPTEMBER 23, 2004

WER

#### **UINTA BASIN**

TO15 RZAE 5-29 43-041-35690

#### "Drilling Activity - Operated" 9-23--04

- Patterson #51 OUSG 1MU-11-8-22 fishing on stuck pipe. Have recovered 4 joints of drill pipe and 2 drill collars so far. Will wash over remainder of fish and attempt to recover. Upper MV test. PTD 9200'.
- Patterson #52 RW 32-27AG spud well at 4:00 AM today. Drilling at 630 feet. PTD 6650'. AW 33G-39H
- True #26 NBE 15ML-26-9-23 drilling at 5,785 feet, Lower My test. PTD 8575'.
- Patterson #136 FR 9P-36-14-19 drilling at 4,585 feet. Ran and set 9-5/8" intermediate casing at 4,402', cemented and foam squeezed cement on backside of 9-5/8" casing. PTD 12,650'.

#### Completions & New Wells to Sales 9-23-04:

GB 14M-28-8-21: (77.5% WI) Mancos 'B' and Mancos Silt frac. was pumped Sep. 3<sup>rd</sup> per design; 305,000# Econoprop pumped @ 58 BPM; flowed back frac until Sunday, Sep. 5<sup>th</sup> and turned to sales; 1598 mcfpd @ 1331 psi FCP w/ 60 BWPD & 2 BOPD on a 12/64" ck. Frac'd Blackhawk Stray intervals this morning per design; 100,000# Econoprop put away; main Blackhawk zones being frac'd Thurs. (23<sup>rd</sup>) afternoon.

NBE 12ML-17-9-23: (43.75%) 1 MV acid job, 4 MV fracs, 1 MV breakdown, and 2 Wasatch fracs. 485,000# sand. Finished fraccing and opened the well up @ 6 pm with 1350# SICP. Flowed back 430 bbls load on a 12/64 choke progressing to a 24/64. Flowing about 30 BWPH heavy gas-cut water, no condensate. Final FCP was 700# on a 24 choke. Shut in @ 5 am to run a kill plug and begin drilling out plugs.

WV 15G-9-8-21: (100.00% WI) G-1 Lime Horizontal Redrill; drilled out plugs and ran tubing/rods; went to production about 4 p.m. Tuesday; 112 BO, 171 BW, 29 mcf gas, last 24 hours of production.

#### WEEKLY OPERATIONS REPORT – SEPTEMBER 30, 2004

WER

#### <u>UINTA BASIN</u>

TO15 RAGE 5-27 43-047-35670

#### "Drilling Activity - Operated" 9-30--04

- Patterson #51 OUSG 1MU-11-8-22 Drilling at 5,285 feet, lost 130 bbls of mud during trip. PTD 9200'.
- Patterson #52 RW 32-27AG Drilling at 5,418 feet. PTD 6650'.
- True #26 NBE 11ML-26-9-23 Moving rig. During rig move today truck drivers dropped the derrick. May be down for a few days to repair and inspection.
- Patterson #136 FR 9P-36-14-19 Drilling at 7,149 feet. PTD 12,650'.

#### Completions & New Wells to Sales 9-30-04:

GB 14M-28-8-21: (77.5% WI) Mancos 'B' and Mancos Silt frac. was pumped Sep. 3<sup>rd</sup> per design; 305,000# Econoprop; flowed back frac until Sunday, Sep. 5<sup>th</sup> and turned to sales; 1598 mcfpd @ 1331 psi FCP w/ 60 BWPD & 2 BOPD on a 12/64" ck. Frac'd Blackhawk Stray intervals w/ 100,000# Econoprop on 9/23 & main Blackhawk zones w/ 340,000# Econoprop on 9/24; during TIH today w/ coiled tbg. unit to drill btm. 2 plugs (one frac. plug – one solid), all Blackhawks together were flowing steady @ 5500 psi FCP on a 24/64" choke (fairly dry gas); Decision was made to not drill out next 2 plugs as we do not want to have to divert well thru "panic" line or on 2 wide-open chokes due to possibility of damaging Blackhawk proppant pack or formation (it would be difficult to take another kick at our current rates and pressures). We currently could not handle Mancos 'B' volumes thru current separator which can handle approx. 4+ Mmcfpd. We will lube in ret. pkr. w/ pump-out plug Friday & TIH w/ tbg. so we can NU tree. Well should go to sales Sat. morning. Will monitor rates and pressures to sales to see if an additional separator is needed and if we'll need to perf. tbg. above pkr. to flow up annulus also (want to make sure no prop. production, so this will be down the road a ways). Once Blackhawks drop in volume & pressure, we will pursue Mancos 'B'.

WV 15G-9-8-21: (100.00% WI) G-1 Lime Horizontal Re-entry; drilled out plugs in csg.; ran tubing/rods; went to production on 9-21-04; currently 124 BOPD, 147 BWPD & 30 mcf gas.

WV 10G-19-8-21: (100.00% WI) MIRU and complete this single lateral horizontal re-entry. Rig is down for repairs until Monday.

RWU 14-34AMU: (100.00% WI) MIRU to run GR and bond log. Move off and return to well for the frac next Friday w/ BJ.

CWD 4-ML-32-8-24: (36.13% WI) MIRU on this well to be completing over the September 30th requirement. Two acid jobs on lower MV intervals will be pumped on the 30th. Uphole fracs will follow at a later date after the pipeline has been secured (waiting on QGM ROW to south, but we have a back-up QEP ROW to the north approved up into RW that we are currently negotiating using a 3<sup>rd</sup> party line).

Form 3160-5 (June 1990)

# UNITED STATES DL. ARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

o not use this form for proposals to drill or to	TICES AND REPORTS ON WELLS deepen or reentry to a different reservoir ION FOR PERMIT" for such proposals	5. Lease Designation and Serial No.  UTU-0558  6. If Indian, Allottee or Tribe Name  N/A
SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Type of Well Oil Gas  X Well Well Other		RED WASH UNIT  8. Well Name and No.  RW 32G-27A
Name of Operator	-	9. API Well No.
QEP UINTA BASIN, INC Address and Telephone No		43-047-35670
11002 E. 17500 S. VERNAL, UT 84078-8526  Location of Well (Footage, Sec., T., R., M., or Survey Description)	(435) 781-4331	10. Field and Pool, or Exploratory Area  RED WASH
SWNE 1980'FNL 1980'FEL SEC.27, T7S, R2	22E	11. County or Parish, State
		UINTAH, UTAH
CHECK APPROPRIATE E	OX(s) TO INDICATE NATURE OF NOTICE, REPO	<u> </u>
CHECK APPROPRIATE E	OX(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
		RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	ORT, OR OTHER DATA  ON  Change of Plans
TYPE OF SUBMISSION  X Notice of Intent	Abandonment Recompletion	ORT, OR OTHER DATA  ON  Change of Plans  New Construction
TYPE OF SUBMISSION  X Notice of Intent	Abandonment Recompletion Plugging Back	PRT, OR OTHER DATA  ON  Change of Plans  New Construction  Non-Routine Fracturing
TYPE OF SUBMISSION  X Notice of Intent  Subsequent Report	Abandonment Recompletion Plugging Back Casing Repair	PRT, OR OTHER DATA  ON  Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off

QEP, Uinta Basin Inc. proposes to change the name of the RW 32G-27A to RWU 32-27AG.

PEORIVED

OCT 0 1 2004

4. I hereby certify that the foregoing is true and correct. Signed Jan Nelson	Title Regulatory	Date 9-29-04
This space for Federal or State office use)		
Approved by:	Title	Date
onditions of approval, if any		

Form 3160-5 (June 1990)

# BUREAU OF LAND MANAGEMENT

	UNITED STATES
DEP.	MENT OF THE INTERIOR
Kaan	ILOP LAND MANAGEMENT

FORM A	PPROVED
--------	---------

Budget Bureau No. 1004-0135

Expires: March 31, 1993

011

(This space for Federal or State office use)

representations as to any matter within its jurisdiction

Conditions of approval, if any

Approved by:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir	
Use "APPLICATION FOR PERMIT" for such proposals	

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

ise	Designation and Serial No.	
	UTU-0558	

	-	N/A
SURMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
. Type of Well	I IV TRILLIONIE	Red Wash Unit
Oil Gas		
X Well Well Other		8. Well Name and No.
		RW 32G-27A
Name of Operator QEP, UINTA BASIN, INC.		9. API Well No.
	Contact: Dahn.Caldwell@questar.com	43-047-35670
Address and Telephone No. 11002 E. 17500 S. VERNAL, UT 84078-8526	435-781-4342 Fax 435-781-4357	10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey Description)		Red Wash
1980' FNL, 1980' FEL, SW NE, Sec 27,	T7S, R22E	11. County or Parish, State
1,00 11.2, 1,00 122, 11.11, 11.11, 11.11, 11.11, 11.11	,	UINTAH COUNTY, UTAH
	THE OF MOTION DEPO	ORT OR OTHER DATA
12. CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTICE, REP	
TYPE OF SUBMISSION	TYPE OF ACTIO	
Notice of Intent	Abandonment	Change of Plans
_	Recompletion	New Construction
		Non-Routine Fracturing
X Subsequent Report	Plugging Back	140h-Routine Flacturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
		Dispose Water
	Other SPUD	
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
12 Describe Described or Completed Operations (Clearly state all pertinent	details, and give pertinent dates, including estimated date of starting any proposed work	If well is directionally drilled,
<ol> <li>Describe Proposed or Completed Operations (Clearly state all pertinent give subsurface locations and measured and true vertical depths for all it</li> </ol>	markers and zones pertinent to this work)	
This well was spud on 9/14/04. Drilled 1	12-1/4" hole to 454' GL. Ran 10 jts 9-5/8" J-55 36	# csg & land shoe @ 457'KB.
Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		
Ran 200 sxs cmt.		
	161	
3 - BLM, 2- Utah OG&M, 1 - Denver, 1 - file Wo	rd me-server	
$/ / \wedge \wedge \wedge$	$\Lambda$ , $\Lambda$	
14. I hereby certify that the foregoing is true and correct.	(   // //	
Signed Dahn F. Caldwork	Clerk Specialist	Date 9/29/04

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department of the price dates any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Date

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

012

#### **ENTITY ACTION FORM**

<u>zip</u> 84078

$\sim$			
( )	per	7111	)r.
_	~~.	~	,

QEP Uinta Basin, Inc.

Operator Account Number: N 2460

Address:

11002 East 17500 South

city Vernal

state Ut

Phone Number: (435) 781-4342

#### Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County	
4304735670	RW 32G-27A	7A		27	7S	22E	Uintah	
Action Code	Current Entity Number	New Entity Number	S	Spud Date 9/14/2004		Entity Assignment Effective Date		
B	99999	5670	ę			10	10/6/04	
Comments:	GRN	CONFIDENT	TAL					

Well 2

API Number	Well Name		QQ Sec		Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
comments:							

#### Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	S	Spud Date		Entity Assignment Effective Date	
omments:							·

#### **ACTION CODES:**

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

Dahn F. Caldwell

Name (Please Print)

Signature

Title

Clerk Specialist

9/29/2004

Date

(5/2000)

RECEIVED OCT 0 4 2004

DIV. OF OIL, GAS & MINING

CONFIDENTIAL

CONFIDENTIAL

#### WEEKLY OPERATIONS REPORT – December 9, 2004

**UINTA BASIN** 

TOPS RARE 5-27 43-047-35670

#### "Drilling Activity - Operated" 12-9-04

- Patterson #51 SG 9MU-23-8-22 TD at 10,313 feet, ran logs, currently laying down DP. Next well WRU EIH 10MU-23-8-22, PTD 8,500'.
- Patterson #52 RB DS 14G-8-10-18 TD at 5,100 feet, ran logs, currently laying down DP. Next well RB DS 1G-7-10-18, PTD 5,100'.
- True #26 NBE 6ML-10-9-23 TD at 9,150 feet, laid down DP, ran casing and cemented, rig released at 0500 this morning. Next well NBE 15ML-17-9-23, PTD 9,150'.

#### Completions & New Wells to Sales 12-10-04:

GB 14M-28-8-21: (77.5% WI) Main Blackhawk & Blackhawk Strays are flowing to sales since Sunday Oct. 3<sup>rd</sup>. Currently flowing to sales @ 4.2 Mmcfpd average over last 6 days @ 3727 psi FTP on a 18/64"choke w/ 75 BWPD & 5 BOPD; sep. dumps were adjusted to better sep. liquids from carrying over.

FR 9P-36-14-19: (100% WI) CBL looked good up to 8300' which is above all intended completion intervals; P-tested csg. to 8500 psi; currently have upper 3 Lower Wingate intervals isolated and flow testing to confirm additional pay is not wet; flowing @ 200 psi FTP on a 32/64" ck. w/ dry gas on Friday morning; rate is 1.25 Mmcfpd. Will move up to complete Upper Wingate next week.

RWU 34-23AG: (100% WI) Mu6 swab tested @ 5 BPH w/ 30%oil and increasing (post –acid); this zone is a "keeper" so we moved uphole to next intervals (Ly2 & Lu6); perf'd and acidized; high oil cut (80%) but low entry; will re-acidized Lu6 by itself w/ larger job to improve entry rate; moved uphole to Gt7 & Gu6 zones; broke down and swabbed dry; will put on rod pump.

RWU 32-27AG: (100% WI) Mt7 zone tested wet; moving uphole to next interval.

**NBE 11ML-26-9-23:** (43.75% WI) 4 LMV fracs; well went to sales Mon. 12/6; currently flowing @ 1147 mcfpd @ 737 psi FTP & 2015 psi CP w/ 252 BWPD & 6 BOPD on a 20/64" choke.

NBE 10ML-10-9-23: (43.75% WI) 1st LMV frac got put away successfully; pumped 100 Mlbs out of 190 Mlbs. of 2<sup>nd</sup> LMV frac. and had to cut job short due to hitting max. pressure; pumping @ 62 BPM and utilizing all 10,000 HHP prior to going to flush; will finish remaining 3 fracs (1 LMV, 1 UMV & 1 Wasatch) today.

#### WEEKLY OPERATIONS REPORT – December 16, 2004

TO15 RARE S-27 43-047-35690

#### **UINTA BASIN**

#### "Drilling Activity - Operated" 12-16-04

- Patterson #51 <u>SG 10MU-23-8-22</u> Drilling at 5,645 feet. PTD 8,500°. Next well WV 14MU-10-8-21, PTD 10,300°.
- Patterson #52 RB DS Fed 1G-7-10-18 Stuck and fishing at 2,714 feet. Ran free point, backed off and recovered 5 drill collars. Currently tripping out to pick up wash pipe. 348 feet of fish to recover. PTD 5,100'. Next well EIHX 11MU-25-8-22, PTD 8,700'.
- True #26 NBE 15ML-17-9-23 Drilling at 6,330 feet. PBT 9,150'. Next well NBE 11ML-17-9-23, PTD 9,150'.

#### Completions & New Wells to Sales 12-16-04:

GB 14M-28-8-21: (77.5% WI) Main Blackhawk & Blackhawk Strays are flowing to sales since Sunday Oct. 3<sup>rd</sup>. Currently flowing to sales @ 4.2 Mmcfpd @ 3553 psi FTP on a 18/64"choke w/ 78 BWPD & 4 BOPD; sep. dumps were adjusted to better sep. liquids from carrying over.

FR 9P-36-14-19: (100% WI) CBL looked good up to 8300' which is above all intended completion intervals; P-tested csg. to 8500 psi; tested 3 'upper' Lower Wingate intervals, dry gas @ 200 psi FTP on a 32/64" which is 1.25 Mmcfpd; set comp. BP and perf. 2 Upper Wingate intervals; TIH w/ pkr.; broke down w/ 2% KCl; swab well in – currently flowing @ 0 psi on a wide-open choke w/ light to heavy mist and 5 bbls. water per hour (45 bbls. over load).

RWU 34-23AG: (100% WI) Acidized Gu6 and Gt7 Mon. w/ 1500 gal. 15% HCl; rec. all load; well was swabbing 15 bbls. fluid per hour w/ 50% oil cut as of Tues.; set CIBP over wet Ox3; Mu6, Ly2, Lu6, Gt7 & Gu6 will be left open; tbg. was run Weds.; rods & pump will be run today.

**RWU 32-27AG:** (100% WI) Mt7 zone basically wet; moved uphole to Lx3; perf'd and broke down Mon.; acidized w/ 1000 gal. 15% HCl; 25 bbls. entry ON; swabbing @ 1.5 BFPH w/ 100%oil; will move uphole.

NBE 10ML-10-9-23: (43.75% WI) Last 3 fracs (out of 3 LMV, 1 UMV and 1 Wasatch) were put away on Friday; well flowed until dry gas Sat. night and was SI; FCP was 1000 psi on a 18/64"; 2375 psi SICP Mon. a.m.; lubed in comp. BP & TIH on Mon.; drilled plugs Tues.; tbg. landed and well kicked off flowing Tues. p.m.; went to sales late Weds.

**SG 4MU-23-8-22:** (43.75% WI) Frac'd. 2 MV and 2 Wasatch stages on Tues.; flowed all night; rec. 440 bbls. load; 3100 BLLTR; lube in comp. BP Weds.; drilling plugs today.

#### WEEKLY OPERATIONS REPORT - December 23, 2004

#### **UINTA BASIN**

TOPS RARE S-27 43-047-35670

#### "Drilling Activity - Operated" 12-23-04

- Patterson #51 SG 10MU-23-8-22 Drilling at 9,971 feet. PTD 10,300'. Next well WV 14MU-10-8-21.
- Patterson #52 EIHX 11MU-25-8-22 Will be moving & rigging up today and tomorrow, SD for Christmas day, finish rig up and spud Sunday, PTD 8,700'. Next well EIHX 15MU-25-8-22, PTD 8,700'.
- True #26 NBE 11ML-17-9-23 Drilling at 4,575 feet. PBT 9,150°.

#### • Completions & New Wells to Sales 12-23-04:

FR 9P-36-14-19: (100% WI) CBL looked good up to 8300' which is above all intended completion intervals; P-tested csg. to 8500 psi; tested 3 'upper' Lower Wingate intervals, dry gas @ 200 psi FTP on a 32/64" which is 1.25 Mmcfpd; set comp. BP and perf. & frac'd 2 Upper Wingate intervals; FCP 180# on a 48/64" choke (2+ Mmcfpd calc. rate); no change in the last 16 hours; water is down to 1 BPH; 212 BLLTR; gas flared at noon yesterday.

RWU 34-23AG: (100% WI) Mu6, Ly2, Lu6, Gt7 & Gu6 were left open; tbg., rods & pump run; started pumping unit 12/21; currently making 102 BOPD, 228 BWPD and 4 mcfpd.

RWU 32-27AG: (100% WI) Lw4 zone acidized; 200 psi this a.m.; 32 bbls. inflow ON; swabbing today to get oil cut.

WRU 6MU-25-8-22: (43.75% WI) 2 MV and 2 Wasatch (396,000#) fracs completed on Tuesday. Lubed in a kill plug yesterday and drilling plugs; will land and be ready for sales Friday.

SG 5MU-23-8-22: (43.75% WI) 2 MV and 4 Wasatch zones (430,000#); 4 fracs Weds.; final two jobs pumped this morning.

#### WEEKLY OPERATIONS REPORT - December 30, 2004

**UINTA BASIN** 

TOPS PARE 5-29 43-049-35690

## "Drilling Activity - Operated" 12-23-04

- Patterson #51 SG 10MU-23-8-22 Drilling at 9,971 feet. PTD 10,300'. Next well WV 14MU-10-8-21.
- Patterson #52 EIHX 11MU-25-8-22 Will be moving & rigging up today and tomorrow, SD for Christmas day, finish rig up and spud Sunday, PTD 8,700'. Next well EIHX 15MU-25-8-22, PTD 8,700'.
- True #26 NBE 11ML-17-9-23 Drilling at 4,575 feet. PBT 9,150'.

## • Completions & New Wells to Sales 12-33-04:

FR 9P-36-14-19: (100% WI) CBL looked good up to 8300' which is above all intended completion intervals; P-tested csg. to 8500 psi; tested 3 'upper' Lower Wingate intervals, dry gas @ 200 psi FTP on a 32/64" which is 1.25 Mmcfpd; set comp. BP and perf. & frac'd 2 Upper Wingate intervals; FCP 180# on a 48/64" choke (2+ Mmcfpd calc. rate); no change in the last 16 hours; water is down to 1 BPH; 212 BLLTR; gas flared at noon yesterday.

RWU 34-23AG: (100% WI) Mu6, Ly2, Lu6, Gt7 & Gu6 were left open; tbg., rods & pump run; started pumping unit 12/21; currently making 102 BOPD, 228 BWPD and 4 mcfpd.

RWU 32-27AG: (100% WI) Lw4 zone acidized; 200 psi this a.m.; 32 bbls. inflow ON; swabbing today to get oil cut.

WRU 6MU-25-8-22: (43.75% WI) 2 MV and 2 Wasatch (396,000#) fracs completed on Tuesday. Lubed in a kill plug yesterday and drilling plugs; will land and be ready for sales Friday.

SG 5MU-23-8-22: (43.75% WI) 2 MV and 4 Wasatch zones (430,000#); 4 fracs Weds.; final two jobs pumped this morning.

#### WEEKLY OPERATIONS REPORT – January 6, 2005

#### **UINTA BASIN**

### T093 R 98E S-29 43-049-35690

#### "Drilling Activity - Operated" 1-6-05

- Patterson #51 WV 14MU-10-8-21 Drilling at 6,510 feet. PTD 10,050'. Next well SG 11MU-14-8-22.
- Patterson #52 EIHX 15MU-25-8-22 Rigging up, spud this afternoon. PTD 8,700'. Next well EIHX 14MU-25-8-22, PTD 8,700'.
- True #26 OU SG 14MU-14-8-22 Drilling at 5,576 feet, set silica plug at 2100', currently holding. PBT 9,000'. Next well RWS 8ML-14-9-24.

#### "Completions & New Wells to Sales" 1-7-05:

FR 9P-36-14-19: (100% WI) Entrada flowing post-breakdown @ 90 psi FTP on a 48/64", it is burnable, calc. to 1.3 mmcfpd dry rate; less than 2 BWPH; gas sample/analysis will be taken Monday; frac. is set for Tues.

RWU 34-23AG: (100% WI) Mu6, Ly2, Lu6, Gt7 & Gu6 were left open; tbg., rods & pump run; started pumping unit 12/21; currently making 92 BOPD, 250 BWPD and 6 mcfpd.

**RWU 32-27AG:** (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil, the Lw4 was wet (good inflow but trace oil), and the Lu6 was wet also; CIBP set over Mt7 and squeezing off Lw4 & Lu6, but Lx3 will be left open; more zones uphole to chase next week.

**NBE 6ML-10-9-23:** (43.75% WI) 3 LMV and 1 Wasatch fracs pumped (330,000# proppant); DO all plugs; landed tbg.; turn to production 1/7/05. Well was very strong during the drilling out of plugs.

WRU EIH 9MU-23-8-22: (43.75% WI) 3 LMV, 1 UMV and 1 Wasatch fracs (316,000# proppant). MIRU and prep to frac Thursday afternoon; 1<sup>st</sup> frac. pumped; 2<sup>nd</sup> stage frac'ing Fri. a.m.; 3 more to do today.

WRU EIH 4MU-25-8-22: (43.75% WI) 2 UMV and 2 Wasatch fracs actually pumped (249,000# proppant). Cancelled DFIT & frac. on stage #4. Flowback well for 6 hours and died. Recovered 150+/- bbls water. RIH and DO plugs Thurs.; will swab and kick off today.

#### WEEKLY OPERATIONS REPORT – January 13, 2005

#### **UINTA BASIN**

TORS RAZE 5-27 43-040-35610

#### "Drilling Activity - Operated" 1-13-05

- Patterson #51 WV 14MU-10-8-21 Drilling at 8,866 feet. PTD 10,050'. Next well SG 11MU-14-8-22.
- Patterson #52 EIHX 15MU-25-8-22 Ran casing, cemented, rigged down, moving today. PTD 8,200'. Next well EIHX 14MU-25-8-22, PTD 8,200'.
- True #26 OU SG 14MU-14-8-22 Logging through drill pipe. PBT 9,290'. Next well RWS 8ML-14-9-24, cementing surface casing today at 2700'.

#### "Completions & New Wells to Sales" 1-14-05:

FR 9P-36-14-19: (100% WI) Entrada flowing post frac @ 900 psi FTP on a 48/64", we will test if gas is burnable today, plan to flow test all weekend to clean-up CO2.

RWU 34-23AG: (100% WI) Mu6, Ly2, Lu6, Gt7 & Gu6 were left open; tbg., rods & pump run; started pumping unit 12/21; currently making 86 BOPD, 254 BWPD and 6 mcfpd.

RWU 32-27AG: (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil, the Lw4 was wet (good inflow but trace oil), and the Lu6 was wet also; CIBP set over Mt7 and squeezing off Lw4 & Lu6, but Lx3 will be left open; more zones uphole to chase next week.

NBE 6ML-26-9-23: (43.75% WI) 3 LMV, 1 UMV and 1 Wasatch frac (395,000# proppant). All five fracs completed. Using Champion chemicals for SI treatment on this well. Flowback ON on a 24/64" choke. BLR = 410 bbls, LLTR = 5990 bbls. As of 6 am Thursday, FCP = 375# and 30 BWPH. SI and run kill plug and DO plugs.

WRU EIH 9MU-23-8-22: (43.75% WI) 3 LMV, 1 UMV and 1 Wasatch fracs (316,000# proppant). To sales 1-12-05. 712 mcf in 18 hours @ 1597 psi FTP & 1800 psi CP; 60 BWPD & 23 BOPD; Run P/L Friday morning; lower tubing after production log. 4094 BLLTR.

SC 3M-16-10-23: (100% WI) Drill up rubber plug and float collar @ 9377'. Clean out an additional 20' to 9397'. POOH and RIH with bit and scraper; run CBL and prep for perf & DFIT.

#### WEEKLY OPERATIONS REPORT – January 20, 2005

TORS RAAE 5-29 43-049-35600

#### **UINTA BASIN**

#### "Drilling Activity - Operated" 1-20-05

- Patterson #51 WV 14MU-10-8-21 TD at 10,366 feet, logging. Next well SG 11MU-14-8-22. PTD 9,100°.
- Patterson #52 EIHX 10MU-25-8-22 Finish moving and rigging up, spud today. PTD 8,700'. Next well GH 5W-20-8-21, PTD 8,050'. Will skip the EIHX 16MU-25-8-22 and leave it for Caza 57 later. Location too muddy to build.
- True #26 RWS 8ML-14-9-24 TD 7,125 feet, tripping out to log. Next well BSW 11ML-12-9-24 if logs on RWS 8ML-14-9-24 look good otherwise will move to the GB 3MU-3-8-22.

#### "Completions & New Wells to Sales" 1-14-05:

FR 9P-36-14-19: (100% WI) Entrada flowing post frac @ 900 psi FTP on a 48/64", we will test if gas is burnable today, plan to flow test all weekend to clean-up CO2.

RWU 34-23AG: (100% WI) Mu6, Ly2, Lu6, Gt7 & Gu6 were left open; tbg., rods & pump run; started pumping unit 12/21; currently making 86 BOPD, 254 BWPD and 6 mcfpd.

RWU 32-27AG: (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil, the Lw4 was wet (good inflow but trace oil), and the Lu6 was wet also; CIBP set over Mt7 and squeezing off Lw4 & Lu6, but Lx3 will be left open; more zones uphole to chase next week.

NBE 6ML-26-9-23: (43.75% WI) 3 LMV, 1 UMV and 1 Wasatch frac (395,000# proppant). All five fracs completed. Using Champion chemicals for SI treatment on this well. Flowback ON on a 24/64" choke. BLR = 410 bbls, LLTR = 5990 bbls. As of 6 am Thursday, FCP = 375# and 30 BWPH. SI and run kill plug and DO plugs.

WRU EIH 9MU-23-8-22: (43.75% WI) 3 LMV, 1 UMV and 1 Wasatch fracs (316,000# proppant). To sales 1-12-05. 712 mcf in 18 hours @ 1597 psi FTP & 1800 psi CP; 60 BWPD & 23 BOPD; Run P/L Friday morning; lower tubing after production log. 4094 BLLTR.

SC 3M-16-10-23: (100% WI) Drill up rubber plug and float collar @ 9377'. Clean out an additional 20' to 9397'. POOH and RIH with bit and scraper; run CBL and prep for perf & DFIT.

#### WEEKLY OPERATIONS REPORT – January 27, 2005

#### **UINTA BASIN**

## TO19 RARE S-29 43-049-35690

#### "Drilling Activity - Operated" 1-27-05

- Patterson #51 SG 11MU-14-8-22 drilling at 4,255 feet. PTD 9,100'. Next well EIHX 9MU-25-8-22. PTD 10,000'.
- Patterson #52 GH 5W-20-8-21 Moving and rigging up today. PTD 8,050'. Next well GHU 19 RHZ, horizontal re-entry with one lateral. Completion rig moved on well 1-25-05 to prepare it for re-entry
- True #26 Rig farmed out to Mak J Energy for one well. Should spud by 1-30-05. When rig returns will either go to GB 3MU-3-8-22, BSW 11ML-12-9-24 (depends on completion results of the RWS 8ML-14-9-24) or COY 12ML-24-8-24 depending on timing and lease expirations.

#### "Completions & New Wells to Sales" 1-28-05:

FR 9P-36-14-19: (100% WI) Morrison; Cedar Mtn. & Dakota all frac'd. this past week; as of this morning, well was flowing @ 1190 psi FCP on a 26/64" (primarily CO2 w/ mist); making 5 BWPH; 1910 BLLTR; will flow test to clean up all weekend and pull gas sample Monday prior to drilling plugs.

RWU 32-27AG: (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil (only keeper so far); squeezing Gt7 Fri.; one more zone to test.

NBE 15ML-17-9-23: (43.75% WI) 5 fracs. pumped successfully; could not go to sales Thurs. due to downstream high LP problems; taking to sales today; should be good well; was testing @ 1800 psi FCP on a 28/64" last weekend post-frac.

SC 3M-16-10-23: (100% WI) 4 fracs set for today, Jan. 28<sup>th</sup>.

WRU EIH 3MU-25-8-22: (43.75% WI) Fracs set for Mon./Tues. next week.

# WEEKLY OPERATIONS REPORT – February 3, 2005

REP

## **UINTA BASIN**

TOPS RAAE 5-27 43-049-35690

### "Drilling Activity - Operated" 2-3-05

- Patterson #51 SG 11MU-14-8-22 drilling at 8,920 feet. PTD 9,100'. Next well EIHX 9MU-25-8-22. PTD 8.250'.
- Patterson #52 GHU 19 RHZ Rigging up today. PTD 7,440', 2000' horizontal lateral. Next well WV 3G-10-8-21, if unit is approved and sundries, otherwise RW 12-36B dual lateral horizontal.
- True #26 Rig farmed out to Mak J Energy for one well. Drilling at 6,200'. Rig should be returning on February 11th. When rig returns will go to GB 3MU-3-8-22, completions group has not started work on the RWS 8ML-14-9-24. The GB 3MU-3-8-22 is a 16 day well. Timing will be tight to get back to the BSW 11ML-12-9-24 before the lease expires, if the completion on RWS 8ML-14-9-24 shows positive results.

#### "Completions & New Wells to Sales" 2-4-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to clean up CO2 content; currently @ 1100 psi FCP on a 32/64" choke (6.9 Mmcfpd - not derated); gas samples will be pulled today @ 4 p.m. and Monday morning to make decision on drilling solid comp. plug over Wingates.


RWU 32-27AG: (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil (only keeper so far); perfing last zone (Frt7) today.

SC 3M-16-10-23: (100% WI) 4 fracs pumped Jan. 28<sup>th</sup>; well to sales @ 8 p.m last night Feb. 3<sup>rd</sup>; currently flowing 1.32 Mmcfpd @ 1807 psi FTP & 2322 psi CP w/ 8 BOPD & 175 BWPD on a 11/64"; will open up to 2 Mmcfpd rate today.

SC 13M-16-10-23: (100% WI) Fracs set for Weds./Thurs. next week.

WRU EIH 3MU-25-8-22: (43.75% WI) Fracs set for Mon./Tues. next week (were postponed due to extremely muddy location – unable to get equipment on or off).

SCT 8G-12-7-22: (25% WI) Moving up to 3<sup>rd</sup> interval (Lv5/Lv5b); perfing today; both lower formations tested wet.



# WEEKLY OPERATIONS REPORT – February 10, 2005

QEP

### **UINTA BASIN**

TO15 R 89E S-27 43-047-35610

### "Drilling Activity - Operated" 2-10-05

- Patterson #51 EIHX 9MU-25-8-22 drilling at 817 feet. Spud well at 1:00 AM this morning. PTD 8,700'.
   Next well GB 3MU3-8-22. PTD 9,900'
- Patterson #52 GHU 19 RHZ Drilling and building angle at 5,358', 73.7° inclination, 290.7 azimuth. Changed out 3.25 degree bend motor to 1.84 degree bend motor in order to rotate more and land in zone smooth. PTD 7,440', 2000' horizontal lateral. Next well WV 3G-10-8-21, sundries approved, waiting on unit approval, otherwise will drill RW 12-36B dual lateral horizontal. Prep work on the WV 3G-10 is complete and ready for whipstock.
- True #26 Rig is returning from Mak J farmout. Rigging up on GB 4MU-36-8-21 and should spud tomorrow. PTD 8,900'. Completions group will be moving rig today or tomorrow on the RWS 8ML-14-9-24. The GB 4MU-36-8-21 is a 12 day well. Timing may be tight to get back to the BSW 11ML-12-9-24 before the lease expires, if the completion on RWS 8ML-14-9-24 shows positive results.

#### "Completions & New Wells to Sales" 2-11-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to clean up CO2 content; currently @ 800 psi FCP on a 36/64" choke (6.5 Mmcfpd - not derated); gas sample will be pulled again Sat. a.m.; currently configuring manifold to open up on an additional choke (or larger if avail. out there). Last gas analysis was 0.6155% nitrogen & 3.0097% CO2; Comet will take up to 3.3%. All facilities are ready for sales.

RWU 32-27AG: (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil; Frt7 zone had trace oil and 1 BFPH post-acid; RIH w/ tbg., rods, & pump.

SC 3M-16-10-23: (100% WI) 4 fracs pumped Jan. 28<sup>th</sup>; well to sales @ 8 p.m Feb. 3<sup>rd</sup>; currently flowing 1.94 Mmcfpd @ 1371 psi FTP & 1344 psi CP w/ 21 BOPD & 176 BWPD on a 15/64" choke.

SC 13M-16-10-23: (100% WI) Frac'd 3 MV, 1 MV breakdown, 1 Wasatch frac on Mon./Tues this week; well flowing very strong up annulus while drilling plugs (1200 psi on a 32/64"); float leaking; need to round trip new bit assembly today; 2 plugs drilled; 3 more to drill; this looks like a really good well.

WRU EIH 3MU-25-8-22: (43.75% WI) Fracs cancelled due to extremely muddy location – we were able to get rig off location and it went to the RWS 8ML14 completion.

SCT 8G-12-7-22: (25% WI) Gt7 & Ev5 zones frac'd. Weds.; well died overnight; TIH Thurs; drilling 1 frac plug today and will swab well in up tbg.

# WEEKLY OPERATIONS REPORT – February 17, 2005

QEP

## **UINTA BASIN**

T 15 RAGE S-27 43-047-35670

### "Drilling Activity - Operated" 2-17-05

- Patterson #51 EIHX 9MU-25-8-22 rigging down, ran casing, cemented, rig release 16:00 2/16/05. Next well GB 3MU-3-8-22. PTD 9,900
- Patterson #52 GHU 19 RHZ Drilling horizontally at 6,803'. PTD 8,040', 2600' horizontal lateral, added 600' to lateral. Next well WV 3G-10-8-21, unit approved 2/16/05, ready for rig.
- True #26 GB 4MU-36-8-21 drilling at 7,392', having some gas flow problems from shallow Uinta zone. PTD 8,900'. Received an additional 60 days to spud the BSW 11ML-12-9-24 from the BLM. Completions group fracing the RWS 8ML-14-9-24 tomorrow. Next well will now be the GB 7MU-36-8-21. PTD 8,850'. Then the COY 12ML-24-8-24 and then the BSW 11ML-12-9-24 depending on the RWS 8ML-14 results.

#### "Completions & New Wells to Sales" 2-17-05:

FR 9P-36-14-19: (100% WI) Flow well (Dakota, Cedar Mtn., Morrison & Entrada) up backside to sales; DOFP was Sat. Feb. 12<sup>th</sup>; flow tested @ 3.8 Mmcfpd @ 1427 psi FCP on 2 - 11/64" (2 sep.) against 870 psi LP; currently curtailed through existing compressor @ 963 Mcfpd @ 2127 psi FCP on a 11/64" choke w/ 2 BO in 5 days & no water; on Mar. 1<sup>st</sup> Comet will be shutting down (and moving) downstream compressor, which will allow us to flow unrestricted against the higher LP (or flow through compressor @ 250 psi suction – 7.5 Mmcfpd capacity).

**RWU 32-27AG:** (100% WI) Lx3 swab tested @ 1.5 BFPH w/ 100% oil; Frt7 zone had trace oil and 1 BFPH post-acid; RIH w/ tbg., rods, & pump; will move pumping unit pending mud.

SC 3M-16-10-23: (100% WI) 4 fracs pumped Jan. 28<sup>th</sup>; well to sales @ 8 p.m Feb. 3<sup>rd</sup>; currently flowing 1.91 Mmcfpd @ 1008 psi FTP & 1311 psi CP w/ 10 BOPD & 106 BWPD on a 17/64" choke.

SC 13M-16-10-23: (100% WI) Frac'd 3 MV, 1 MV breakdown, 1 Wasatch frac on Mon./Tues last week; well to sales Sat. Feb. 12<sup>th</sup>; currently flowing 1.6 Mmcfpd @ 1308 psi FTP & 1770 psi CP w/ 14 BOPD & 334 BWPD on a 18/64" choke.

SC 11M-16-10-23: (100% WI) Frac'd. 3 MV and 1 Wasatch Tues., Feb. 15th; well was flowing @ 1500 psi FCP the next morning on a 18/64" choke; 40 BWPH; 450 bbls. rec.; drilling plugs currently; looks like a strong well.

SCT 8G-12-7-22: (25% WI) Gt7 & Ev5 zones frac'd. last Weds.; zones swabbed wet; moving uphole to Deadman zones; perfing today.

RWS 8ML-14-89-24: (25% WI) 3 MV fracs set for Friday.

Form 3160-5 (June 1990)

# UNITED STATES DEPAKIMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135

024

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

Expires: March 31, 1993

5. Lease Designation and Serial No. UTU 0558

Use "APPLICATIO	N FOR PERMIT—" for such proposals	6 If Indian. Allottee or Tribe Name
	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Oil Gas  Well Well Other		RED WASH UNIT
	Marine Marine State Committee Commit	RWU 32-27AG
2. Name of Operator  QEP, UINTA BASIN, INC.		9. API Weil No
Address and Telephone No.	Contact: ann.petrik@questar.com	43-047-35670  10. Field and Pool, or Exploratory Area
11002 E. 17500 S. VERNAL, UT 84078-8526  4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	435-701-4300 FAX 435-701-4325	RED WASH
SWNE, 1980' FNL, 1980' FEL, Sec 27-T7	S-R22E	11. County or Parish, State UINTAH COUNTY, UTAH
CHECK APPROPRIATE BO	X(s) TO INDICATE NATURE OF NOTICE, RI	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	TION
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Date of First Production	Dispose Water
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form)
<ol> <li>Describe Proposed or Completed Operations (Clearly state all pertinent det give subsurface locations and measured and true vertical depths for all marl</li> </ol>	ails, and give pertinent dates, including estimated date of starting any proposed we kers and zones pertinent to this work)	ork. If well is directionally drilled,

THIS WELL COMMENCED PRODUCTION ON 3/1/05.

PRODUCING FORMATION - GREEN RIVER

# **RECEIVED**

APR 0 8 2005

\	DIV. OF OIL, GA	5 & MINING	
14. I hefetry tenify that the foregoing is recently source.  Signed Ann M. Petrik	Office Administrator II	Date	3/29/05
This space for Pederal or State office use) Approved by:	Title	Date	
Conditions of approval, if any			· · · · · · · · · · · · · · · · · · ·
Title 18 U.S.C. Section 1001, makes it a crime for any person representations as to any matter within its jurisdiction.	n knowingly and willfully to make to any department or agency of the United States any	false, fictitious or fraudulent s	tatements or

Form approved Form 3160-4 Budget Bureau No. 1004-0137 SUBMIT IN DUPLICA (November 1983) STATES UNIT Expires August 31, 1985 DEPARTMENT OF THE INTERIOR (See other in-(formerly 9-330) BUREAU OF LAND MANAGEMENT structions on LEASE DESIGNATION AND SERIAL NO. reverse side). UTU-0558 IF INDIAN, ALLOTTEE OR TRIBE NAME WELL COMPLETION OR RECOMPLETION REPORT AND LOG\* N/A UNIT AGREEMENT NAME OIL GAS 1a. TYPE OF WELL WELL DRY Other Red Wash Unit WELL X TYPE OF COMPLETION FARM OR LEASE NAME DIFF PLUG NEW WORK DEEP. RESVR Other X OVER EN BACK WELL WELL NO NAME OF OPERATOR RWU 32-27AG OEP UINTA BASIN, INC. 10 FIELD AND POOL, OR WILDCAT ADDRESS OF OPERATOR 11002 E. 17500 S. VERNAL, UT 84078-8526 435-781-4342 **RED WASH** LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\* 11. SEC.,T., R., M., OR BLOCK AND SURVEY SWNE, 1980' FNL, 1980' FEL, SEC 27-T7S-R22E OR AREA SEC 27-T7S-R22E At top rod. interval reported below SWNE, 1980' FNL, 1980' FEL, SEC 27-T7S-R22E At total depth SWNE, 1980' FNL, 1980' FEL, SEC 27-T7S-R22E COUNTY OR STATE 13. DATE ISSUED PERMIT NO. PARISH API: 43-047-35670 UTAH UINTAH 18. ELEVATIONS (DF, RKB, RT, GR, ETC.) 19 FLEV CASINGHEAD 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 15 DATE SPUDDED 2/15/2005 **KB** 10/01/04 9/14/04 IF MULTIPLE COMPL., INTERVALS ROTARY TOOLS CABLE TOOLS 20. TOTAL DEPTH, MD & TVD 21. PLUG BACK T.D., MD & TVD HOW MANY\* DRILLED BY 5986' WAS DIRECTIONAL 24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)\* SURVEY MADE See Attachment Page 1 NO 27. WAS WELL CORED TYPE ELECTRIC AND OTHER LOGS RUN CBL/GR, SPECTRAL DENSITY/DSN NO CASING RECORD (Report all strings set in well) CEMENTING RECORD AMOUNT PULLED CASING SIZE HOLE SIZE WEIGHT LB/FT DEPTH SET (MD) 457' 12-1/4" 200 SXS 9-5/8" 905 SXS 5-1/2" 15.5# 6008 7-7/8" TUBING RECOR 30. LINER RECORD SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) TOP (MD) BOTTOM (MD) SACKS CEMENT\* 5787' 2-7/8" ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC 31. PERFORATION RECORD (Interval, size and number) DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED See Attachment Page 1 See Attachment Page 1 See Attachment Page 1 PRODUCTION WELL STATUS (Producing or DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) 3/01/05 **PUMPING OIL** PRODUCING GAS-OIL RATIO OIL-BBL GAS-MCF WATER-BBL DATE OF TEST HOURS TESTED CHOKE SIZE PROD'N FOR TEST PERIOD

(See Instructions and Spaces for Additional Data on Reverse Side)

all available records

GAS-MCF

COMPLETION SUPERVISOR

OIL-BBL

TITLE

OIL GRAVITY-API (CORR.)

8/22/05

10

DATE

TEST WITNESSED BY

WATER-BBL

DIV. OF OIL, GAS & MINING

N/A

CALCULATED

24-HOUR RATE

CASING PRESSURE

I hereby certify that the foregoing and attacket information is complete and co

DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

PERFORATION ATTACHMENT PAGE 1

3/05/05

FLOW. TUBING PRESS

LIST OF ATTACHMENTS

SIGNED JIM SIMONTON

SOLD

37. SUMMARY OF POR drill-stem tests, includ recoveries):	OUS ZONES: (Show ing depth interval teste	all important zones o d, cushion used, time	f porosity and contents thereof; cored intervals; and all tool open, flowing and shut-in pressures, and	38.	GEOLOGIC MARKERS RWU 32-27AG
	TOP	воттом	DESCRIPTION, CONTENTS, ETC.		TOP
FORMATION UINTA GREEN RIVER MAHOGANY EAGLE FOX FREMONT GULCH LIZARD MESA WASATCH TD	TOP  SURFACE 3223' 4093' 5160' 5358' 5508' 5628' 5778' 5901' 6200? 6030'	ВОТТОМ	DESCRIPTION, CONTENTS, ETC.	UINTA GREEN RIVER MAHOGANY EAGLE FOX FREMONT GULCH LIZARD MESA WASATCH TD	TOP  MEAS, DEPTH TRUE VERT. DEPTH  SURFACE 3223' 4093' 5160' 5358' 5508' 5628' 5778' 5901' 6200? 6030'
					CONCIDENT

CONFIDENTIAL

# RW 32-27AG - Attachment Page 1 PERFORATION DETAIL:

<b>Perf Depths</b> 5535' – 5539'	<b>Zone</b> Ft7	Result before Stim	<b>Status</b> Open	<b>Stimulation</b> Acidize w/ 750 gals 15% HCL
5654' – 5657'	Gt7		Open	Acidize w/ 500 gals 15% HCL – Sqzd w/ 50 sxs
5745′ – 5749′	Gy2		Closed	Acidize w/ 750 gals 15% HCL – Sqzd w/ 100 sxs
5798' - 5802'	Lu6		Open	Re-perfed
5798' – 5802'	Lu6		Closed	Acidize w/ 750 gals 15% HCL – Sqzd w/ 100 sxs
5847' – 5850'	Lw4		Closed	Acidize w/ 500 gals 15% HCL – Sqzd w/ 100 sxs
5871' - 5875'	Lx3		Open	Acidized w/1008 gals 15% HCL
5922' - 5928'	Mt7		Open	

FIELD: Red Wash	g G	L: 5,427 ' KBE: 5,443 '	Spud Date: 9-14-04 Completion Date: 2-14-05
Well: RWU 32-2	77AG	D: 6,008 ' PBTD: 5,986 '	Current Well Status: Pumping Oil Well
Location: SWNE Sec. 27			Reason for Pull/Workover:
API#:43-047-35670			Initial Completion
Uintah County, Utah			
[	Wellbore		Tubing Landing Detail:
	Schematic		Description Size Footage Depth
	1 1		KB 12.00 12.00
Surface casing Size: 9-5/8"		1	176 jts. 2-7/8" 5,737.27 5,750.77
Weight: 36#	1		T-anchor 5-1/2" 2.86 5,753.63
Grade: K-55 Set @ 457'			1 jt 2-7/8" 32.64 5,787.18
Cmtd w/ 200 sxs	* **		Pinned NC 2-7/8" 0.21 5,787.39
Hole size: 12-1/4"			
l l	<b>-</b>		
		TOC @ 2900 '	EOT @ 5,787.39
			Tubing Information:
EXCLUDED PERFS	1	OPEN PERFS	Condition:           New: X         Used: Rerun:
			Grade: <u>J-55</u>
	2		Weight (#/ft): <u>6.5#</u>
			Sucker Rod Detail:
			Size #Rods Rod Type 1-1/2" x 30' 1 Polish Rod
		1	1-1/2" x 30' 1 Polish Rod 7/8" x 6' 1 Pony
[]			7/8" x 8' 1 Pony
			7/8" 91 Plain 3/4" 138 Plain
[]			
[]	Sue Control Co		Rod Information Condition:
			New: XX Used: Rerun:
11			Grade: Manufacture:
		1	
			Pump Information:  API Designation  2-1/2" x 1-1/2" x 12' x 17' RHAC Weatherford
	123		Example: 25 x 150 x RHAC X 20 X 6 X 2
			Pump SN# 1579 Original Run Date 2/11/2005
	1.7		RERUN NEW RUN XX
	-		ESP Well Flowing Well
	vita A.q.		Cable Size: SN @ 5751
	jeda.		Pump Intake @' PKR @
11			Wellhead Detail: Example: 7-1/16* 3000#
	in the state of th		Other:
	#44		Hanger: Yes No XX
			SUMMARY
	628 624		Green River
			Mt7 - 5922' - 5928'. Final FER - 1-1/2" bph water w/trace qil. CIBP @ 5902'
	man and an analysis of the second analysis of the second analysis of the second and an analysis of the second and an analysis	ļ	Lx3 - 5871' - 5875' . Acidize w/1008 gals 15% HCl. Final FER - 1 bph, 80% oil. Lw4 - 5847' - 5850' . Acidize w/500 gals 15% HCl. Final FER - 8 bph w/trace oil.
			Squeezed w/100 sks.
			Lu6 - 5798' - 5802'. Acidize w/750 gals 15% HCi. Final FER - 13 bph, 2% oil.
	Fra		Squeezed w/100 sks.  Lu6 - Reperfed 5798' - 5800'. Final FER - 1/4 bph w/20% oil.
11	edi ena		Gy2 - 5745' - 5749'. Acidize w/750 gals 15% HCI. Final FER - 8 bph w/trace oil.
	64		Squeezed w/100 sks.  Gt7 - 5654' - 5657'. Acidize w/500 gals 15% HCl. Final FER - 1/2 bph w/0 oil.
		5535' - 5539' w/3 spf	Squeezed w/50 sks.
5654' - 5657' w/3 spf	ieni i		Frt7 - 5535' - 5539'. Acidize w/750 gals 15% HCl. Final FER - 1 bph w/trace oil.
(squeezed)			
5745' - 5749' w/3 spf (squeezed)		Anchor @ 5754 '	
	'T   T   1   1   1   1   1   1   1   1	PSN @ 5755 '	
5798' - 5802' w/3 spf		EOT @ 5787 ' 5798' - 5800' w/4 spf	
(squeezed)			
5847' - 5850' w/3 spf (squeezed)		ļ	
		5871' - 5875' w/3 spf	
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	CIBP @ 5902'	
Production Casing			
Size: 5-1/2" Weight: 15.5#		5922' - 5928' w/3 spf	
Grade: J-55		DRITO @ FOOT	
Set @ 6008' Cmtd w/ 805 sks		PBTD @ 5986 '	
Hole size: 7-7/8"	1	TD @ 6008 '	
<u> </u>			
Prepared By Jane Pennel	) Da	te: 6-7-05	

# Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

1. DJJ

								2. CDW
Change of Operator (Well Sold)				X - Opera	ator Nam	e Change/Me	erger	'
The operator of the well(s) listed below has chan	ged,	effectiv	/e:			1/1/2007		
FROM: (Old Operator):				TO: ( New Or	perator):			
N2460-QEP Uinta Basin, Inc.				N5085-Questar	•	pany		
1050 17th St, Suite 500				•	th St, Suite	•		
Denver, CO 80265					, CO 80265			
Phone: 1 (303) 672-6900				Phone: 1 (303)	672-6900			
CA No.				Unit:	072 0300	RED WASI	H UNIT	
WELL NAME	SEC	TWN	IRNC	API NO	ENTITY	LEASE TYPE		WELL
WELL NAME	SEC	, I VVI	· Kut	ATTNO	NO	LEASE IIIE	TYPE	STATUS
SEE ATTACHED LISTS				*				
OPERATOR CHANGES DOCUMENT	A TI	ION						
Enter date after each listed item is completed	AII	ION						
1. (R649-8-10) Sundry or legal documentation was	as rec	eived f	rom the	FORMER ope	rator on:	4/19/2007		
2. (R649-8-10) Sundry or legal documentation wa				_		4/16/2007	•	
3. The new company was checked on the <b>Depart</b> .				=		Database on:	•	1/31/2005
4a. Is the new operator registered in the State of U				Business Numb	-	764611-0143		
5a. (R649-9-2)Waste Management Plan has been re		ed on:		- IN PLACE			-	
5b. Inspections of LA PA state/fee well sites comp				n/a	-			
5c. Reports current for Production/Disposition & S				n/a	-			
6. Federal and Indian Lease Wells: The BI			e BIA I	as approved the	merger na	me change		
or operator change for all wells listed on Feder					BLM	4/23/2007	BIA	
7. Federal and Indian Units:	GI OI	111(41(411	TOUSOS C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		- 1/25/2007		•
The BLM or BIA has approved the successor	r of n	nit ope	rator fo	r wells listed on:	:	4/23/2007		
8. Federal and Indian Communization Ag		_			•			
The BLM or BIA has approved the operator			-	-				
9. Underground Injection Control ("UIC"					oved UIC F	orm 5, Transfer	of Autho	ority to
Inject, for the enhanced/secondary recovery ur	-	oject fo	or the wa	ater disposal wel	ll(s) listed o	n:		
DATA ENTRY:	-			•	. ,			_
1. Changes entered in the Oil and Gas Database	on:			4/30/2007 and	5/15/2007			
2. Changes have been entered on the Monthly O	perat	tor Cha	ange Sp	read Sheet on:		4/30/2007 and 5	5/15/2007	•
3. Bond information entered in RBDMS on:				4/30/2007 and				
4. Fee/State wells attached to bond in RBDMS or				4/30/2007 and				
5. Injection Projects to new operator in RBDMS				4/30/2007 and				
6. Receipt of Acceptance of Drilling Procedures	or A.	PD/Ne	w on:		n/a			
BOND VERIFICATION:				TCD 000004				
1. Federal well(s) covered by Bond Number:				<u>FSB000024</u> 799446	-			
<ul><li>2. Indian well(s) covered by Bond Number:</li><li>3a. (R649-3-1) The NEW operator of any state/fe</li></ul>		ille) lie	ted cov		umbor	965003033		
3b. The <b>FORMER</b> operator has requested a release		, ,		•	n/a	703003033	•	
LEASE INTEREST OWNER NOTIFIC		-	/ HOIII L	nen bond on.	ша	-		
4. (R649-2-10) The NEW operator of the fee wells			ontacted	l and informed b	v a letter fr	om the Division		
of their responsibility to notify all interest owner					n/a	om the Division		
						<del>-</del> 		
COMMENTS: THIS IS A COMPANY NAME (	HAI	NGE.						

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996		WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161		Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172			OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173		Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174		Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175		Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178		Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179		Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E			Federal	WI	A

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA.
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	À
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	Р
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233		Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	-	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243		Federal	OW	P

# QEP Uinta Basin (N2460) to QUESTAR E and P (N5085) RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SENW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267		Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	-	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271		Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	ow	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SENW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290		Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291		Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294		Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295		Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296		Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298		Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301		Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715301		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	swsw	24	070S	230E	4304716472		Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473		Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475		Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476		Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477		Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478		Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479		Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480		Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482		Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485		Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495		Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496		Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	swsw	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498		Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060		Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058		Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103		Federal	WI	Α
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	ow	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	ow	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	ow	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312		Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313		Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314		Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340		Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341		Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342		Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343		Federal	OW	TA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518		Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581		Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679		Federal	ow	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682		Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683		Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819		Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538		Federal	GW	TA

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	Α
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENW	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENW	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENW	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580		Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590		Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592		Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593		Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594		Federal	OW	P
RW 22-13A	RW 22-13A	SENW	13	070S	220E	4304733765		Federal	OW	S
RWU 22-29B	RW 22-29B	SENW	29		230E	4304733766		Federal	OW	S

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENW	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENW	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

		DIVI	ISION OF OIL, GAS AND M	ININ	NG			ASE DESIGNATION AND SERIAL NUMBER:
	SUNDRY	'N(	OTICES AND REPORT	S (	ON WEL	LS	1	NDIAN, ALLOTTEE OR TRIBE NAME:
_	and the second s							F ALLACTION IT or CA AGREEMENT NAME:
	drill horizontal la	ew wel iterals.	lls, significantly deepen existing wells below or Use APPLICATION FOR PERMIT TO DRILL	irrent l form (	pottom-hole dep for such proposi	th, reenter plugged wells, or to	see	attached
1. T	YPE OF WELL OIL WELL		GAS WELL OTHER				ì	ELL NAME and NUMBER:
	IAME OF OPERATOR							NUMBER:
		N AI	ND PRODUCTION COMPA	<u>NY</u>		· · · · · · · · · · · · · · · · · · ·		ached
	DDRESS OF OPERATOR: 50 17th Street Suite 500 CH	Der	nver STATE CO 20	<sub>-</sub> 80	265	PHONE NUMBER: (303) 308-3068	10. FI	ELD AND POOL, OR WILDCAT:
	OCATION OF WELL		SAINTE EI			I		
F	OOTAGES AT SURFACE: attache	эd					COUN	rry: Uintah
a	TR/QTR, SECTION, TOWNSHIP, RAN	GE, MI	ERIDIAN:				STATE	<u>:</u>
						A440 450 11		UTAH
11.	CHECK APPE	₹OP	RIATE BOXES TO INDICA	TE I	VATURE	OF NOTICE, REPO	ORT, C	R OTHER DATA
	TYPE OF SUBMISSION	ļ				YPE OF ACTION		
Z	NOTICE OF INTENT	빒	ACIDIZE	Ļ	DEEPEN			REPERFORATE CURRENT FORMATION
	(Submit in Duplicate)	빒	ALTER CASING	느	FRACTURE			SIDETRACK TO REPAIR WELL
	Approximate date work will start:	片	CASING REPAIR	<u></u>	NEW CONS		ᆜ	TEMPORARILY ABANDON
	1/1/2007	片	CHANGE TO PREVIOUS PLANS	<u> </u>	OPERATOR		닏	TUBING REPAIR
П	SUBSEQUENT REPORT	片	CHANGE TUBING CHANGE WELL NAME	늗	PLUG AND		片	VENT OR FLARE
	(Submit Original Form Only)		CHANGE WELL STATUS	늗	PLUG BACK			WATER DISPOSAL
	Date of work completion:	片	COMMINGLE PRODUCING FORMATIONS	늗	•	ON (START/RESUME)		WATER SHUT-OFF
			CONVERT WELL TYPE		4	ON OF WELL SITE TE - DIFFERENT FORMATION	Z	отнея: Operator Name Change
40		<u>ب</u>			·	<del></del>		- Change
			ETED OPERATIONS. Clearly show all					
AN chi on Fe Uti Fe Cu att	ID PRODUCTION COM ange of operator is involute attached list. All operator Bond Number: 96 ah State Bond Number: e Land Bond Number: irrent operator of record, ached list.	PAN ved. erati 500: 965 965 QE	ions will continue to be cove 2976 (BLM Reference No. E 3003033 P UINTA BASIN, INC., here Ja QUESTAR EXPLORATION the properties as described	lves confidence ered ESB eby r ANI on t	only an intinue to be by bond 1000024) esigns as Neese, ED PRODU	nternal corporate nate responsible for openumbers: soperator of the profixecutive Vice President Company	perties ident, ( , here	ange and no third party as of the properties described as as described on the QEP Uinta Basin, Inc. by assumes all rights, duties
		—						
NAMI	(PLEASE PRINT) Detora K. S	tanb	perry )		TITLE	Supervisor, Reg	ulatory	Affairs
_	/ //		1/1.					
SIGN	ATURE	_	2 Juneary	_	DATE	3/16/2007		
his sp	ace for State use only)							

RECEIVED

APR 1 9 2007

## FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING

	DIVISION OF OIL, GAS AND M	INING	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached						
	Y NOTICES AND REPORT		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: SEE Attached 7. Unit of CA AGREEMENT NAME:						
	new wells, significantly deepen existing wells below cu laterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	see attached						
1 TYPE OF WELL OIL WELL	GAS WELL OTHER_		8. WELL NAME and NUMBER:						
2. NAME OF OPERATOR:			see attached						
	ON AND PRODUCTION COMPA	NY	attached						
3 ADDRESS OF OPERATOR 1050 17th Street Suite 500	LY Denver STATE CO ZIE	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:						
4. LOCATION OF WELL	17 Deriver STATE CO ZIF	(000) 000-3000							
FOOTAGES AT SURFACE: attack	neď		соинту: Uintah						
QTR/QTR, SECTION, TOWNSHIP, RA			STATE: UTAH						
11. CHECK APP	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA						
TYPE OF SUBMISSION		TYPE OF ACTION							
✓ NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION						
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL						
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON						
1/1/2007	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR						
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE						
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL						
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF						
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ отнек: Well Name Changes						
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION							
PER THE ATTACHED LIS	OMPLETED OPERATIONS. Clearly show all p ST OF WELLS, QUESTAR EXPL ES BE UPDATED IN YOUR REC	ORATION AND PRODUCTION C	es, etc. COMPANY REQUESTS THAT THE						
NAME (PLEASE PRINT) Debra K. S	Stapberry	TITLE Supervisor, Regul	latory Affairs						
SIGNATURE A	3 Th Seny	PAJE 4/17/2007							
his space for State use only)									

RECEIVED
APR 1 9 2007



# United States Department of the Interior

# BUREAU OF LAND MANAGEMENT Utah State Office

P.O. Box 45155 Salt Lake City, UT 84145-0155



IN REPLY REFER TO 3180 UT-922

April 23, 2007

Questar Exploration and Production Company 1050 17th Street, Suite 500 Denver, Colorado 80265

Re:

Red Wash Unit Uintah County, Utah

#### Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals

**Enclosure** 

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining

File - Red Wash Unit (w/enclosure)

Agr. Sec. Chron Reading File Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 3 0 2007

DIV. OF OIL, GAS & MINING

# Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

(for state use only)

ROUTING	ì
CDW	

Change of Operator (Well Sold)		Х-	Operator	· Name Chan	σe			
The operator of the well(s) listed below has char	nged, e	ffecti	ve:	·		6/14/2010	<u> </u>	
FROM: (Old Operator): N5085-Questar Exploration and Production Comp. 1050 17th St, Suite 500 Denver, CO 80265						pany se 500		
Phone: 1 (303) 308-3048				Phone: 1 (303)	308-3048			
CA No.				Unit:		RED W	VASH	······································
WELL NAME		TWN	RNG	API NO	ENTITY	LEASE TYPE		WELL
SEE ATTACHED	 		Γ -		NO		TYPE	STATUS
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed  1. (R649-8-10) Sundry or legal documentation wa 2. (R649-8-10) Sundry or legal documentation wa 3. The new company was checked on the Depart 4a. Is the new operator registered in the State of U 5a. (R649-9-2) Waste Management Plan has been re 5b. Inspections of LA PA state/fee well sites comp 5c. Reports current for Production/Disposition & S	as received lete on	ived fived for Control  of Control  ived  ived	rom the nmerce	<b>NEW</b> operator	on: orporations	6/28/2010 6/28/2010 8 Database on: 764611-0143		6/24/2010
<ol> <li>Federal and Indian Lease Wells: The BL or operator change for all wells listed on Federal.</li> <li>Federal and Indian Units:         <ul> <li>The BLM or BIA has approved the successor</li> </ul> </li> <li>Federal and Indian Communization Ag</li> </ol>	al or In of uni	idian l t oper	leases of rator for ("CA")	n: wells listed on:	BLM	8/16/2010	BIA	not yet
The BLM or BIA has approved the operator of 9. Underground Injection Control ("UIC")	ior all v	wells .	has an	ithin a CA on:	5 T	N/A		
Inject, for the enhanced/secondary recovery un	it/proid	ect for	r the wa	proveu OIC re ter disnosal wel	or beteil Cumo			
DATA ENTRY: 1. Changes entered in the Oil and Gas Database	on:			6/30/2010		•	6/29/2010	•
<ol> <li>Changes have been entered on the Monthly Op</li> <li>Bond information entered in RBDMS on:</li> <li>Fee/State wells attached to bond in RBDMS on</li> <li>Injection Projects to new operator in RBDMS on</li> <li>Receipt of Acceptance of Drilling Procedures for</li> </ol>	: on:			6/30/2010 6/30/2010 6/30/2010		6/30/2010		
BOND VERIFICATION:	01 231 1	)/ I V V	on.		n/a			
<ol> <li>Federal well(s) covered by Bond Number:</li> <li>Indian well(s) covered by Bond Number:</li> <li>(R649-3-1) The NEW operator of any state/fe</li> <li>The FORMER operator has requested a release</li> <li>LEASE INTEREST OWNER NOTIFIC</li> </ol>	e of lia	bility	ed cove	ESB000024 965010693 red by Bond Nu eir bond on:	ımber n/a	965010695	·	
4. (R649-2-10) The NEW operator of the fee wells			ntacted	and informed by	v a letter fra	om the Division		
of their responsibility to notify all interest owner  COMMENTS:	s of th	is cha	nge on:	and informed by	y a letter fro n/a	m me Division	· · · · · · · · · · · · · · · · · · ·	
				·				

### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER See attached										
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME. See attached										
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: See attached										
OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: See attached										
2 NAME OF OPERATOR: Questar Exploration and Production Company N5085	9. API NUMBER: Attached										
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 Denver STATE CO Zie 80265 PHONE NUMBER: (303) 672-6900	10. FIELD AND POOL, OR WILDCAT: See attached										
4. LOCATION OF WELL STATE OF ZIP 00203 (303) 072-0300	See attached										
FOOTAGES AT SURFACE: See attached	COUNTY: Attached										
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:  UTAH											
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA										
TYPE OF SUBMISSION TYPE OF ACTION											
NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start:  6/14/2010  CHANGE TO PREVIOUS PLANS  DEEPEN  FRACTURE TREAT  NEW CONSTRUCTION  OPERATOR CHANGE  CHANGE TUBING  PLUG AND ABANDON	REPERFORATE CURRENT FORMATION  SIDETRACK TO REPAIR WELL  TEMPORARILY ABANDON  TUBING REPAIR  VENT OR FLARE										
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL										
Date of work completion:  CHANGE WELL STATUS  PRODUCTION (START/RESUME)  COMMINGLE PRODUCING FORMATIONS  RECLAMATION OF WELL SITE	WATER SHUT-OFF										
	✓ отнея: <u>Operator Name</u> Change										
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:  Federal Bond Number: 965002976 (BLM Reference No. ESB000024)  Utah State Bond Number: 965003033  Fee Land Bond Number: 965003033  Fee Land Bond Number: 799446- 965010693  The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list											
NAME (PLEASE PRINT) Morgan Anderson TITLE Regulatory Affair	s Analyst										
SIGNATURE MOGRAL AND DATE 6/23/2010											
This space for State use only)											

(5/2000)

RECEIVED
JUN 2 8 2010

Carl

(See Instructions on Reverse Side)

APPROVED 61301 2009
Carley Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	1	type	stat	C
RW 34-23B	23	070S	22017	4304715136	5.670	lease	OTT	ļ	
RW 41-23B	23			4304715138	5670	Federal	OW	P	
RW 32-22B	$\frac{23}{22}$	070S		4304715138	5670	Federal	OW	P	-
RW 43-23B	23	070S		4304715139	5670	Federal	OW	P	
RW 32-17C	17	070S		4304715145	5670	Federal	OW	P	
RW 34-26B	26	070S		4304715148	5670	Federal	OW	P	
RW 32-14B	14			4304715148	5670	Federal	GW	TA	-
RW 34-14B	14			4304715150	5670	Federal	OW	P	
RW 23-22B	22			4304715152	5670	Federal	OW	S	
RW 43-22B	22			4304715153	5670	Federal	OW	TA	
RW 32-23B	23			4304715155	5670	Federal	OW	P	
RW 23-13B	13				5670	Federal	OW	P	
RW 34-22B				4304715157	5670	Federal	GW	TA	
RW 32-13B	22			4304715158	5670	Federal	OW	P	
RW 14-23B				4304715163	5670	Federal	GW	P	-
RW 14-23B				4304715165	5670	Federal	OW	S	
RW 21-24B				4304715166	17554	Federal	OW	DRL	
				4304715167	5670	Federal	OW	TA	
RW 34-13B RW 21-29C				4304715168	5670	Federal	OW	P	ļ
				4304715169	5670	Federal	GW	P	
RW 12-17B	***			4304715170	5670	Federal	OW	P	ļ
RW 32-33C				4304715171	5670	Federal	GW	P	
RW 14-23A				4304715176	5670	Federal	OW	P	
RW 12-18C				4304715183	5670	Federal	OW	P	
RW 21-22B				4304715186	5670	Federal	GW	TA	
RW 34-18B				4304715189	5670	Federal	OW	P	
RW 21-27B				4304715191	5670	Federal	OW	TA	
RW 23-22A				4304715192	5670	Federal	OW	P	
RW 21-18C				4304715193	5670	Federal	OW	P	
RW 12-13B				4304715196	5670	Federal	GW	S	
RW 32-18C				4304715198	5670	Federal	GW	P	
RWU 77 (21-13B)				4304715199	5670	Federal	OW	P	
RW 32-28B				4304715200	5670	Federal	OW	P	
RW 12-27B				4304715201	5670	Federal	OW	TA	
RW 14-27B				4304715202	5670	Federal		P	
RW 41-31B				4304715203	5670			P	
RW 41-27A				4304715205	5670		OW	S	
RW 44-14B				4304715206	5670			P	
RW 43-21B				4304715211	5670	~		P	
RW 12-22A				4304715213	5670			P	
RW 12-22B				4304715218	5670			P	
RW 34-21B				4304715220	5670			P	
RW 34-15B				4304715222	5670			P	
RW 32-21B				4304715226	5670	~~~~~	OW	P	
RW 21-28B	28	070S	230E	4304715227	5670	Federal	OW	P	

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	C
RW 23-23A	23	070S	220E	4304715228	5670	lease Federal	OW	P	
RW 32-24A	24	070S	<u> </u>	4304715229	5670	Federal	OW		
RW 32-28A	28	070S		4304715230	5670		OW	P	
RW 21-19B	19			4304715233	5670	Federal	OW	S	
RW 43-29A	29			4304715236	5670	Federal	OW	P	
RW 23-28B	28	070S		4304715237		Federal	OW	S	C
RW 13-13B	13			4304715238	17525	Federal Federal	OW	P	C
RW 24-14B	13			4304715238	5670		GW	P	
RW 41-29A	29			4304715243	5670	Federal Federal	OW	P	
RW 14-15B	15	070S		4304715246	5670		OW	P	
RW 41-34B	34			4304715246	5670	Federal	OW	P	-
RW 41-30B	30			4304715254	5670	Federal	OW	P	
RW 24-22B	22			4304715254	5670	Federal	OW	P	
RW 33-14B	14			4304715255	5670	Federal	OW	P	
RW 21-18B	18	070S			5670	Federal	OW	P	
RW 22-22B	22			4304715258	5670	Federal	OW	TA	
RW 42-14B				4304715260	5670	Federal	OW	TA	C
RW 14-29B	14			4304715264	5670	Federal	OW	P	
RW 32-30B	29			4304715265	5670	Federal	OW	P	
	30			4304715268	5670	Federal	OW	P	
RW 32-15B	15			4304715270	5670	Federal	OW	P	
RW 12-20B	20			4304715272	5670	Federal	OW	S	
RW 12-28B	28			4304715274	5670	Federal	OW	P	
RW 32-26B	26	************		4304715275	5670	Federal	GW	TA	
RW 31-28B	28			4304715283	5670	Federal	OW	TA	
RW 34-30B	***************************************			4304715288	5670	Federal	OW	P	
RW 23-26B				4304715290	5670	Federal	GW	S	
RW 41-33A				4304715294	5670	Federal	OW	P	
RW 43-24B				4304715295	5670	Federal	GW	TA	
RW 12-14B			***************************************	4304715296	5670	Federal	OW	S	
RW 32-28C				4304715302	5670	Federal	GW	P	
RW 23-25A		***************************************		4304715305	5670	Federal	OW	P	
RW 41-8F				4304720014	5670	Federal	GW	P	
RW 44-21C				4304730149	5670	Federal	GW	S	
RW 13-27B				4304730199	5670	Federal	OW	TA	
RW 21-34B				4304730258	5670	Federal	OW	P	
RW 43-26B				4304730259	5670	Federal	OW	TA ·	
RW 14-18C	18	070S	240E	4304730309	5670	Federal	OW	P	
RW 12-26B				4304730311	5670	Federal	OW	TA	
RW 32-24B				4304730313	5670	Federal	OW	P	
RW 34-18C				4304730314	5670	Federal	OW	P	
RW 21-19C	19	070S	240E	4304730340	5670			P	
RW 14-25B	25	070S	230E	4304730341	5670			P	
RW 32-35B	35	070S	230E	4304730342	5670	Federal		TA	-
RW 12-36B	36	070S	230E	4304730344	5670			S	

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral	type	stat	С
· ·						lease	, JPC	State	
RW 22-14B	14	070S	230E	4304730345	5670	Federal	OW	P	-
RW 42-13B	13	070S		4304730346	5670	Federal	OW	P	
RW 23-19C	19	070S		4304730348	5670	Federal	GW	P	1
RW 22-18C	18	070S		4304730387	5670	Federal	OW	P	
RW 22-17C	17	070S		4304730388	5670	Federal	GW	P	
RW 44-26B	26	070S		4304730520	5670	Federal	GW	P	
RW 42-27B	27	070S	230E	4304731051	5670	Federal	OW	TA	-
RW 44-27B	27	070S		4304731053	5670	Federal	OW	TA	
RW 44-23B	23	070S		4304731054	5670	Federal	GW	P	1
RW 11-35B	35	070S		4304731079	5670	Federal	OW	P	+
RW 22-35B	35	070S		4304731082	5670	Federal	OW	P	+
RW 33-23B	23	070S		4304731476	5670	Federal	GW	TA	
RW 11-24B	24	070S		4304731477	5670	Federal	OW	P	
RW 42-21B	21	070S		4304731478	5670	Federal	OW	P	
RW 13-24B	24	070S		4304731517	5670	Federal	OW	P	<del> </del>
RW 42-23B	23	070S		4304731576	5670	Federal	GW	TA	-
RW 12-35B	35	070S		4304731578	5670	Federal	OW	S	
RW 24-15B	15			4304731579	5670	Federal	OW	P	1
RW 24-18C	18			4304731582	5670	Federal	GW	P	-
RW 43-15B	15			4304731682	17643	Federal	GW	DRL	С
RW 34-17B	17			4304731819	5670	Federal	OW	P	Ť
RW 41-4F	04			4304732538	5670	Federal	GW	TA	1
RW 23-23C	23	070S		4304732629	5670	Federal	GW	P	
RW 14-17B	17	070S		4304732738	5670	Federal	OW	P	<del></del>
RW 32-17B	17	070S		4304732981	5670	Federal	OW	P	
RW 32-18B	18	070S	~	4304733018	5670	Federal	OW	P	-
RW 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RW 22-20B	20			4304733491	5670	Federal	OW	P	
RW 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RW 22-21B	21	070S	230E	4304733522	5670	Federal	OW	S	
RW 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RW 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RW 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RW 24-18B	18	070S	230E	4304733554	5670	Federal		P	
RW 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RW 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RW 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	1
RW 42-24A	24	070S	220E	4304733569	5670	Federal		P	
RW 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RW 41-25A	25	070S	220E	4304733579	5670	Federal		P	
RW 21-24A				4304733592	5670	Federal	OW	P	
RW 44-18B				4304733594	5670	Federal	OW	P	
RW 41-24A				4304733769	5670	Federal		P	
RW 42-30B	30	070S	230E	4304733771	5670	Federal	OW	S	1

# Questar Exploration Production Company (N5085) to QEP Energy Company (N3700) RED WASH effective June 14, 2010

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	С
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	<del></del>
RW 22-25A	25	070S			5670	Federal	OW	P	
RW 34-27C	27	070S	240E	4304735045	5670	Federal	GW	P	
RW 34-22C	22	070S		4304735098	5670	Federal	GW	P	
RW 34-23AG	23	070S		4304735668	5670	Federal	OW	P	
RWU 32-27AG	27	070S	220E	4304735670	5670	Federal	OW	P	
RW 14-34AMU	34	070S	220E	4304735671	14277	Federal	GW	P	
RW 44-08FG	08	080S	240E	4304736349	15261	Federal	GW	P	
RW 34-34 AD	34	070S	220E	4304736351	16177	Federal	GW	P	
RW 33-31 BD	31	070S	230E	4304736357		Federal	GW	APD	С
RW 13-31 BD	31	070S	230E	4304736358		Federal	GW	APD	C
RW 21-26AD	26	070S	220E	4304736768	5670	Federal	OW	OPS	C
RW 43-26AG	26	070S	220E	4304736769	16575	Federal	OW	OPS	С
RW 43-23AG	23	070S	220E	4304736770	5670	Federal	OW	OPS	C
RW 41-26AG	26	070S	220E	4304736818	5670	Federal	OW	OPS	C
RW 04-25B	25	070S	230E	4304736982	17224	Federal	OW	P	
RW 34-27ADR	27	070S	220E	4304739445	16330	Federal	GW	P	
RW 32-29CD	29	070S	240E	4304739854		Federal	GW	APD	C
RW 24-10FD	10	080S	240E	4304739963		Federal	GW	APD	C
RW 34-20CD	20	070S	240E	4304739964		Federal	GW	APD	C
RW 32-20CD	20	070S	240E	4304739965		Federal	GW	APD	
RW 24-21CD	21	070S	240E	4304739966		Federal	GW	APD	С
RW 41-28CD	28	070S	240E	4304739967		Federal	GW	APD	С
RW 41-33CD	33	070S	240E	4304739968		Federal	GW	APD	C
RW 14-35 AMU	35	070S	220E	4304740051		Federal	GW	APD	С
RW 44-35 AMU	35	070S	220E	4304740052		Federal	GW	APD	
RW 12-17FG	17	080S	240E	4304740602		Federal	GW	APD	C



# **United States Department of the Interior**



# BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankert

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS UDOGM

AUG 1 6 2010

DIV. OF OIL, Cas James, 3